

THE FOG LOG™



**KEEP YOUR LIFT
STATIONS MIXED
AND AERATED**

info@risenwater.com
www.risenwater.com
770-742-3321

Patent Pending



BREAK UP THE FOG

Features

Can do both fine or coarse bubble aeration
No moving parts, no maintenance
Plug-in compressor
316 Stainless Steel
Simple to install
Everything you need is included

Benefits

Fights Clogs
Reduces pump maintenance
Aerates and mixes
Reduces odors
Reduces corrosive H₂S

LOWER THE LOG

Patent Pending

ORIENTED FOR FINE BUBBLE



THE FOG LOG™

TECHNICAL DATA SHEET




Mixing and Aeration for wet wells, lift stations, tanks
Sits on the bottom or can hang suspended
Can provide either coarse or fine bubble aeration
depending on its orientation

Technology Specifications

Materials of Construction	316 SS, LDPE Diffuser Pipe
Minimum Water Depth	2'
Maximum Water Depth	40'
Dimensions Mixer	19.5" L x 15.5"W x 14" H
Weight of Mixer	49 lbs
Length of Chain	25'
Air Pump	PA-RP80P
Air Pump Cord Length / Plug	6 feet / 120V Grounded Outlet
Air Pump Specifications	120 V / 7.5 Amp / 60 Hz / 1 HP
Pump Enclosure Dimensions	19"L x 15.5"W x 21"H
Pump Enclosure Fan Specifications	0.35 Amps / 38 W
Pump Enclosure Fan Cord Length / Plug	4.5 feet / 120 Grounded Outlet
Length of Air Hose	50'
Warranty	2 Years Mixer, 1 Year Air Unit



ORIENTED FOR COARSE BUBBLE



Patent Pending