

The Fog Log[®]



**KEEP YOUR LIFT
STATIONS MIXED
AND AERATED AND
REDUCE H₂S**

Features

- Can do both fine or coarse bubble aeration
- No moving parts, no maintenance
- Plug-in compressor
- 316 Stainless Steel
- Simple to install
- Everything you need is included

info@risenwater.com

www.risenwater.com

www.thefoglog.com



Break Up the Fog



Lower the Log

Benefits


- Reduces corrosive H₂S
- Fights clogs
- Reduces pump maintenance
- Aerates and mixes
- Reduces odors



What's in
the Box



TECHNICAL DATA SHEET



Technology Specifications

Materials of Construction	316 SS, LDPE Diffuser Pipe
Minimum Water Depth	2'
Maximum Water Depth	40'
Dimensions Mixer	19.5" L x 15.5"W x 14" H
Weight of Mixer	49 lbs
Length of Chain	25'
Air Pump	PA-RP80P
Air Pump Cord Length / Plug	6 feet / 120V Grounded Outlet
Air Pump Specifications	120 V / 7.5 Amp / 60 Hz / 1 HP
Pump Enclosure Dimensions	19"L x 15.5"W x 21"H
Pump Enclosure Fan Specifications	0.35 Amps / 38 W
Pump Enclosure Fan Cord Length / Plug	4.5 feet / 120 Grounded Outlet
Length of Air Hose	50'
Warranty	2 Years Mixer, 1 Year Air Unit